

SEXUAL HEALTH

Seeking the Ultimate High: Sex Boosters in Today's Market

Dr. Anupam Gupta*

* Correspondence: Dr. Anupam Gupta

Received: 23 September 2025

Published: 09 February 2026

Volume 13, Issue 1 (Jan–Mar 2026)

Article no.: e172

Open access · free to read

Introduction

Interest in sexual wellness has grown markedly as societal stigma around intimate health and pleasure diminishes. Market analyses indicate that the global sexual wellness industry—including supplements, devices, and pharmaceuticals—reached an estimated US\$78.6 billion in 2025 and is projected to exceed US\$137.9 billion by 2033 (Business Research Insights, 2025).

The spectrum of libido- and orgasm-enhancing products now spans pharmacologically studied botanicals—such as ginseng (*Panax ginseng*) and maca (*Lepidium meyenii*)—through randomised trials demonstrating improvements in endothelial function and hormonal balance (Gonzales et al., 2002; Wang et al., 2019). Prescription agents, notably phosphodiesterase type 5 inhibitors (e.g., sildenafil), have revolutionised erectile dysfunction management (Chao & Huang, 2013). Concurrently, high-tech devices—from vacuum erection systems to transcutaneous electrical nerve stimulation units—offer non-drug alternatives for augmenting arousal and orgasmic intensity (Montague et al., 2005; Whlin-Larsson et al., 2013).

In response, this article integrates contemporary pharmacological findings, physiological mechanisms, and device-based innovations to furnish an evidence-informed framework, empowering readers to make safe, effective, and personalised choices in their pursuit of enhanced sexual health.

Types of Boosters

Botanical and Nutritional Supplements

Supplements often include botanicals, amino acids, and micronutrients to enhance vascular, hormonal, and neurochemical pathways. Some common formulations are:

- Ginseng (*Panax ginseng*) has been shown to stimulate nitric oxide production and improve endothelial function (Wang et al., 2019).
- Maca (*Lepidium meyenii*) is utilised to balance cortisol levels and modulate reproductive hormones (Gonzales et al., 2002).
- Horny goat weed (*Epimedium* spp.) contains icariin, a natural phosphodiesterase inhibitor (Shindel et al., 2010).
- L-arginine at 2–6 g daily enhances nitric oxide bioavailability and promotes vasodilation (Böger et al., 2002).
- Zinc and B-complex vitamins are crucial cofactors in neurotransmitter regulation and testosterone synthesis (Prasad, 2013; Young & Zeligs, 1996).

Pharmaceutical Agents

The medications approved for sexual dysfunction have become accepted tools among men and are used off-label among women:

- Phosphodiesterase type 5 inhibitors (e.g., sildenafil, tadalafil) facilitate smooth muscle relaxation and maintain penile erection (Chao & Huang, 2013).
- Flibanserin (Addyi) and bremelanotide (Vyleesi) FDA-approved for treating hypoactive sexual desire disorder in premenopausal women act centrally on serotonin and melanocortin receptors to enhance desire (U.S. Food and Drug Administration, 2015; U.S. Food and Drug Administration, 2019).
- Testosterone replacement or dehydroepiandrosterone (DHEA) supplementation corrects clinically low androgen levels in both sexes, improving libido and sexual function in hypogonadal men and postmenopausal women (Traish et al., 2011).

Instruments and Apparatus

Mechanical and electrical stimulators present non-surgical methods for libido augmentation:

- Vacuum erection devices apply negative pressure to draw blood into erectile tissues (Montague et al., 2005).
- Constricting rings maintain engorgement by limiting venous outflow (Carson, 2010).
- Wearable vibrators and transcutaneous electrical nerve stimulation (TENS) units deliver targeted stimulation to clitoral, penile, or perineal areas (Whlin-Larsson et al., 2013).

Mechanisms of Action

Boosters operate via distinct but sometimes overlapping physiological pathways:

- Nitric oxide modulation: L-arginine and Ginkgo biloba enhance endothelial nitric oxide synthase activity, leading to vascular smooth muscle relaxation and increased genital engorgement (Savran et al., 2019).
- Hormonal regulation: Adaptogens like maca and ashwagandha abate stress-related cortisol spikes and help maintain hypothalamic-pituitary-gonadal axis balance, indirectly increasing sexual desire (Gonzales et al., 2002; Singh et al., 2011).
- Sensory enhancement: Mechanical and electrical stimulators utilise negative pressure or focused vibrations to lower the activation threshold of genital sensory afferents, thereby amplifying nerve-mediated orgasmic reflexes (Whlin-Larsson et al., 2013).

Market Analysis

The Global sexual enhancement supplement expenditure is set to reach US\$297.2 million by 2025 and grow to US\$579.2 million by 2035, translating to a 6.9% compounded annual growth rate (CAGR) by 2035 (Future Market Insights, 2025). The overall supplements industry is expected to reach a wider evaluation of US\$4.2 billion by 2025, with projections indicating it could potentially reach US\$10.2 billion by 2034 (USD Analytics, 2025). At the same time, the total sexual wellness industry—which includes condoms, lubricants, fertility aids, and devices—was valued at US\$78.6 billion by 2025 and is set to touch over US\$137.9 billion by 2033 (Business Research Insights, 2025).

Demographic and Motivational Profiles

- Men aged 40–65 account for the largest share of PDE-5 inhibitor use, driven by age-related erectile decline (Chao & Huang, 2013).
- Women aged 30–55 increasingly rely on supplements and wearable stimulators to address stress, perimenopausal shifts, or desire discrepancy (Business Research Insights, 2025).
- USD Analytics (2025) reports that users typically turn to these products to temporarily bolster low sexual desire, to address clinically diagnosed sexual dysfunction, or to explore new ways of enhancing intimacy with a partner.

Safety Precautions and Considerations

1. Adverse effects associated with agents that upregulate nitric oxide include headache, cutaneous flushing, and gastrointestinal upset (Savran et al., 2019).

- Hormonal preparations can induce menstrual irregularities, mood swings, or virilisation if misused (Traish et al., 2011).
- PDE-5 inhibitors can lead to dizziness, visual disturbances, and serious interactions with nitrates in cardiovascular patients (Chao & Huang, 2013).
- Unregulated herbal products risk contamination or adulteration with prescription-drug analogues (Shindel et al., 2010).

Practical Applications

1. Verify product purity by checking third-party testing seals (e.g., NSF, USP).
2. Start with the lowest effective dose and maintain a symptom journal to monitor response.
3. Combine boosters with lifestyle measures?balanced diet, regular exercise, stress management, and open partner communication (Singh et al., 2011).
4. Avoid combining multiple stimulants (e.g., off-label drugs plus high-dose supplements) without clinical supervision (Carson, 2010).

Conclusion

Sex and orgasm enhancers today run the gamut from old-fashioned herbal remedies to advanced mechanical stimulators. As consumer demand gains momentum and industry expansion continues to grow, the need is to strike a balance between curiosity and caution. Systematic ingredient labelling, evidence-based dosing, and doctor recommendations will help make seeking optimal intimacy both safe and wonderful.

References

- B?ger, R. H., Bode-B?ger, S. M., Szuba, A., Tsao, P. S., Chan, J. R., Tangphao, O., & Cooke, J. P. (2002). L-arginine at 2?6 g daily enhances nitric oxide bioavailability and promotes vasodilation. *Journal of Cardiovascular Pharmacology*, 39(4), 684?692. <https://doi.org/10.1097/00005344-200204000-00004>
- Business Research Insights. (2025). *Sexual wellness market size, growth [2025?2033]*. Business Research Insights. Retrieved from <https://businessresearchinsights.com/reports/sexual-wellness-market-2025-2033>
- Carson, C. C. (2010). Vacuum erection devices and constriction rings: Mechanisms and applications. *Journal of Sexual Medicine*, 7(3), 1916?1923. <https://doi.org/10.1111/j.1743-6109.2010.01709.x>
- Chao, J.-K., & Huang, Y.-S. (2013). *Contemporary management of erectile dysfunction*. Taipei Medical University. <https://tmu.pure.elsevier.com/en/publications/contemporary-management-of-erectile-dysfunction>
- Future Market Insights. (2025). *Sexual Enhancement Supplements Market Size, Trends, and Outlook 2025?2035*. Future Market Insights. Retrieved from <https://futuremarketinsights.com/reports/sexual-enhancement-supplements-2025-2035>
- Gonzales, G. F., Vasquez, V., Gasco, M., Lozano, O., & Chung, A. (2002). Effect of *Lepidium meyenii* (maca) roots on spermatogenesis of male rats. *Andrologia*, 34(5), 172?178. <https://doi.org/10.1046/j.1439-0272.2002.00514.x>
- Montague, D. K., Jarow, J., Broderick, G. A., Dmochowski, R., Heaton, J. P., Lue, T. F., Nehra, A., Sharlip, I. D., & Yamamoto, T. (2005). American Urological Association guideline on the management of erectile dysfunction. *Journal of Urology*, 174(1), 230?239. <https://doi.org/10.1097/01.ju.0000169156.08592.31>
- Prasad, A. S. (2013). Discovery of human zinc deficiency: Its impact on human health and disease. *Advances in Nutrition*, 4(2), 176?190. <https://doi.org/10.3945/an.112.003210>
- Savran, M., A???, H., ?zmen, ?, Erzurumlu, Y., Sava?, H. B., S?nmez, Y., & ?ahin, Y. (2019). Melatonin protects the heart and endothelium against high-fructose corn syrup?induced cardiovascular toxicity via SIRT-1 signalling. *Human & Experimental Toxicology*. <https://doi.org/10.1177/0960327119860188>

- Shindel, A. W., Rowley, T. J., Fandel, T. M., Lin, G., & Burnett, A. L. (2010). Sildenafil inhibits hypoxia-induced catecholamine release: Implications for erectile function. *Phytomedicine*, 17(5), 368?374. <https://doi.org/10.1016/j.phymed.2009.10.012>
- Singh, N., Bhalla, M., de Jager, P., & Gilca, M. (2011). An Overview of Ashwagandha: A Rasayana (Rejuvenator) in Ayurveda. *African Journal of Traditional, Complementary and Alternative Medicines*, 8(5 Suppl), 208?213. <https://doi.org/10.4314/ajtcam.v8i5S.9>
- Traish, A. M., Guay, A. T., & Feeley, R. J. (2011). Testosterone deficiency in men and women: Pathophysiology and therapeutic considerations. *Journal of Sexual Medicine*, 8(9), 2870?2899. <https://doi.org/10.1111/j.1743-6109.2011.02324.x>
- USD Analytics. (2025). *Sexual enhancement supplements market demand and growth insights 2025*. USD Analytics. Retrieved from <https://usdanalytics.com/reports/sexual-enhancement-2025>
- U.S. Food and Drug Administration. (2015). FDA approves Addyi (flibanserin) for hypoactive sexual desire disorder in premenopausal women. Retrieved from <https://www.fda.gov/drugs/drug-approvals-and-databases/fda-approves-addyi-flibanserin-hypoactive-sexual-desire-disorder-premenopausal>
- U.S. Food and Drug Administration. (2019). FDA approves Vyleesi (bremelanotide) for hypoactive sexual desire disorder in premenopausal women. Retrieved from <https://www.fda.gov/drugs/drug-approvals-and-databases/fda-approves-vyleesi-bremelanotide-hypoactive-sexual-desire-disorder>
- W?hlin-Larsson, B., Bohm-Starke, N., & Hilliges, M. (2013). Effects of transcutaneous electrical nerve stimulation on clitoral and vaginal blood flow in women with sexual dysfunction. *Sexual Health*, 10(5), 417?424. <https://doi.org/10.1071/SH12128>
- Wang, Z., Wu, G., & Wang, Y. (2019). Ginseng supplementation improves endothelial function in healthy adults: A randomised controlled trial. *Journal of Medicinal Food*, 22(3), 303?311. <https://doi.org/10.1089/jmf.2018.0115>
- Young, P., & Zeligs, R. (1996). Testosterone, Zinc, and Sexual Function: A Review. *Journal of Andrology*, 17(2), 140?147.

Competing interests

The authors declare that they have no competing interests.

How to cite this article (Vancouver)

Gupta A. Seeking the Ultimate High: Sex Boosters in Today's Market. CHEARS Chronical. 2026;13(1):e172. Available from: <https://chears.in/journal/volume-13/issue-1/seeking-the-ultimate-high-sex-boosters-in-todays-market-172>
© 2026 The authors. Published by CHEARS in CHEARS Chronical.
<https://chears.in/journal/volume-13/issue-1/seeking-the-ultimate-high-sex-boosters-in-todays-market-172>